

NO.	DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL
1	Item Number : 8548222069 Stock Categ : STK Storeroom : ST-2 Item Description GASKET KIT,INSLTG,FLG SEALNG,6IN,CL600 BRAND NAME: DEFENDFER/ISOTEK/ISOGUARD, FLOWLOK, MFR: LAMONS GASKET COMPANY, PIKOTEK (PSI,PIKOTEK); PART REFERENCE NO: IK-6.0-DF-600#F-STD-G10ST-VD; FFT: PART INFO: KIT CONSISTS OF: 1PC GASKET, ISOLATION, RF FLANGE, GROOVE: KAMMPROFILE, SEALING ELEMENT: TEFLON, TYPE: F, CLASS: 600 #, TRADE MARK: DEFENDFER, SCH/BORE: STD, MATERIAL: G10S RETAINER, SEAL TYPE: T, SIZE: 6 IN, I.D 6.075 X O.D 10.385 IN, PART # IK-6.0-DF-600#F-STD-G10ST; 1PC BOLT LUBRICATION, NM-91 NON-CONDUCTIVE; 12PC WASHER SET, ISOLATION, TYPE: VD, MATERIAL: G10 SIZE: 1 IN; 12PC WASHER SET, ISOLATION, TYPE: VD, MATERIAL: ZCH SIZE: 1 IN; 12PC SLEEVE SET, ISOLATION, TYPE: VD, MATERIAL: MYLAR SIZE: 1 X 4.875 IN; EQUIPMENT INFO: PRESSURE RATING: CL 600,SIZE: 6 IN, CONNECTION TYPE: FLANGED RF AND RTJ, STANDARD: ANSI B16.5/BS 1560 . Item Specs TYPE FLANGE SEALING NOMINAL FLANGE SIZE 6IN PRESSURE RATING CL600 CONNECTION TYPE --- COMPRISING TEFLON/VITON/MYLAR	PC	15.00		
Part Number Profile MFRCODE 50364 COMPANYNAME PIKOTEK (PSI,PIKOTEK) MANUFACTURER OCM MFRTYPE 6-600VCS-D/M PARTNUM ACTIVE MODELSTATUS TAGNUM MODELNUM SERNUM POSNUM DRWNUM					

NO.	DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL
Suggested Manufacturer : GL Account: : 1-00000-0000-0000-0141-00-00000					
2	Item Number : 8548553529 Stock Categ : STK Storeroom : ST-2 ASAB/SAHIL <u>Item Description</u> GASKET KIT,INSLTG FFT: PART INFO: KIT CONSISTS OF: 1 PC ALLOY 825 CORE WITH G11 RETAINER GASKET W/ SS302 HELICAL WOUND SPRING ENERGIZED TEFLON SEAL, NOMEX SLEEVE; G3 AND ZPS WASHER TYPE E; EQUIPMENT INFO: PRESSURE RATING: CL 300, NOMINAL PIPE SIZE: 36 IN, END CONNECTION: FLANGED RF, STANDARD: ASME B16.47 CLASS A; LEGACY: TYPE F WITH PTFE SEALS WITH SS302 HELICAL WOUND SPRING SS316 L CORE MATERIAL, G-11 GRE LAMINATE RETAINER MATERIAL,WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER EPOXY AND STEEL MATERIAL 7P 1050 <u>Item Specs</u> TYPE --- NOMINAL FLANGE SIZE --- PRESSURE RATING --- CONNECTION TYPE --- COMPRISING ---	PC	4.00		
<u>Part Number Profile</u> MFRCODE 48609 COMPANYNAME SAUDI BISAN GASKET FACTORY CO MANUFACTURER MFRTYPE OCM PARTNUM SBV-12 MODELSTATUS ACTIVE TAGNUM MODELNUM SERNUM POSNUM DRWNUM					

NO. DESCRIPTION		UNIT	QTY	UNIT PRICE	TOTAL
3	Item Number : 8548553739 Stock Categ : STK Storeroom : ST-2 ASAB/SAHIL <u>Item Description</u> GASKET KIT,INSLTG PART REFERENCE NO: SBV-12, MFR: SAUDI BISAN GASKET FACTORY CO; FFT: PART INFO: KIT CONSISTS OF:GASKET INCONEL 625 CORE WITH G11, RETAINER GASKET WITH SS302, HELICAL WOUND SPRING ENERGIZEDTEFLON SEAL; NOMEX SLEEVE; G3 & ZPS WASHER TYPE F; EQUIPMENT INFO: PRESSURE RATING: CL 900, NOMINAL PIPE SIZE: 3/4 IN, END CONNECTION: FLANGED RF,STANDARD: ASME B16.5; LEGACY: TYPE F WITH PTFE SPRING ENERGISED SEALS,G-11 REINFORCED EPOXY, INCONEL 625 METAL CORE 11GA(0.120),WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER EPOXY AND STEEL MATERIAL ZP 1050 <u>Item Specs</u> TYPE --- NOMINAL FLANGE SIZE --- PRESSURE RATING --- CONNECTION TYPE --- COMPRISING ---	PC	5.00		
Suggested Manufacturer : GL Account: : 1-00000-0000-0000-0141-00-00000					
4	Item Number : 8548553619 Stock Categ : STK Storeroom : ST-2 ASAB/SAHIL <u>Item Description</u> GASKET KIT,INSLTG PART REFERENCE NO: SBV-12, MFR: SAUDI BISAN GASKET FACTORY CO; FFT: PART INFO: KIT CONSISTS OF:GASKET INCONEL 625 CORE WITH G11, RETAINER GASKET WITH SS302, HELICAL WOUND SPRING ENERGIZEDTEFLON SEAL; NOMEX SLEEVE; G3 & ZPS WASHER TYPE F; EQUIPMENT INFO: PRESSURE RATING: CL 600, NOMINAL PIPE SIZE:1 IN, END CONNECTION:FLANGED RF,STANDARD: ASME B16.5; LEGACY: TYPE F WITH PTFE SPRING ENERGISED SEALS,G-11 REINFORCED EPOXY, INCONEL 625 METAL CORE 11GA(0.120),WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER EPOXY AND STEEL MATERIAL ZP 1050 <u>Item Specs</u> TYPE ---	PC	10.00		

NO.		DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL
	<u>Item Specs</u>					
	NOMINAL FLANGE SIZE		---			
	PRESSURE RATING		---			
	CONNECTION TYPE		---			
	COMPRISING		---			
Suggested Manufacturer :						
GL Account: : 1-00000-0000-0000-0141-00-00000						
5	Item Number : 8548553639	PC		25.00		
	Stock Categ : STK					
	Storeroom : ST-2					
<u>Item Description</u>						
GASKET KIT,INSLTG						
FFT: PART INFO:ITEM NO:33; KIT CONSISTS OF: 1 PC ALLOY 825 CORE WITH G11 RETAINER GASKET W/ SS302 HELICAL WOUND SPRING ENERGIZED TEFLON SEAL, NOMEX SLEEVE; G3 AND ZPS WASHER TYPE E; EQUIPMENT INFO: PRESSURE RATING: CL 600, NOMINAL PIPE SIZE: 2 IN, END CONNECTION: FLANGED RF;						
LEGACY: TYPE F WITH PTFE SPRING ENERGISED SEALS,G-11 REINFORCED EPOXY, INCONEL 625 METAL CORE 11GA(0.120),WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER EPOXY AND STEEL MATERIAL ZP 1050 STEEL & G-3 GREF						
<u>Item Specs</u>						
	TYPE	---				
	NOMINAL FLANGE SIZE	---				
	PRESSURE RATING	---				
	CONNECTION TYPE	---				
	COMPRISING	---				
<u>Part Number Profile</u>						
	MFRCODE	48609				
	COMPANYNAME	SAUDI BISAN GASKET FACTORY CO				
	MANUFACTURER					
	MFRTYPE	OCM				
	PARTNUM	SBV-12				
	MODELSTATUS	ACTIVE				
	TAGNUM					

NO. DESCRIPTION		UNIT	QTY	UNIT PRICE	TOTAL
MODELNUM					
SERNUM					
POSNUM					
DRWNUM					
Suggested Manufacturer : GL Account: : 1-00000-0000-0000-0141-00-00000					
6	Item Number : 8548553719	PC	5.00		
	Stock Categ : STK				
	Storeroom : ST-2 ASAB/SAHIL				
	Item Description GASKET KIT,INSLTG FFT: PART INFO: KIT CONSISTS OF: 1 PC-SEAL, PTFE; EQUIPMENT INFO: PRESSURE RATING: CL 600, NOMINAL PIPE SIZE: 26 IN, END CONNECTION: FLANGED RF; LEGACY: TYPE F WITH PTFE SPRING ENERGISED SEALS WITH SS302 HELICAL WOUND SPRING,G-11 REINFORCED EPOXY, INCOLNEL 625 METAL CORE 11GA(0.120), VITON-O-RING,WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER Item Specs TYPE --- NOMINAL FLANGE SIZE --- PRESSURE RATING --- CONNECTION TYPE --- COMPRISING ---				
Suggested Manufacturer : GL Account: : 1-00000-0000-0000-0141-00-00000					
7	Item Number : 8548553279	PC	10.00		
	Stock Categ : STK				
	Storeroom : ST-2 ASAB/SAHIL				
	Item Description GASKET KIT,INSLTG,FF FFT: KIT CONSISTS OF: SS316L CORE G11 RETAINER GASKET WITH SS302 HELICAL WOUND SPRING ENERGISED TEFLON SEAT, 8PC NOMEX SLEEVE, 16PC G3 WASHER & 16PC ZPS WASHEREQUIPMENT INFO: PRESSURE RATING: CL 150, NOM PIPE SIZE:4 IN, END CONNECTION: FLANGED FF, STANDARD: B16.5; LEGACY: TYPE E WITH PTFE SEALS WITH SS302 HELICAL WOUND SPRING ALLOY 825 CORE MATERIAL, G-11 GRE LAMINATE RETAINER MATERIAL,WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER EPOXY AND STEEL MATERIAL 7P 1050				

NO.		DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL
	<u>Item Specs</u>					
	TYPE		FLAT FACE			
	NOMINAL FLANGE SIZE		---			
	PRESSURE RATING		---			
	CONNECTION TYPE		---			
	COMPRISING		---			
	<u>Part Number Profile</u>					
	MFRCODE		48609			
	COMPANYNAME		SAUDI BISAN GASKET FACTORY CO			
	MANUFACTURER					
	MFRTYPE		OCM			
	PARTNUM		SBV-12			
MODELSTATUS		ACTIVE				
TAGNUM						
MODELNUM						
SERNUM						
POSNUM						
DRWNUM						
<u>Suggested Manufacturer</u> :						
GL Account: : 1-00000-0000-0000-0141-00-00000						
8	Item Number	: 8548553379	PC	50.00		
	Stock Categ	: STK				
	Storeroom	: ST-2				
<u>Item Description</u>						
GASKET KIT,INSLTG						
FFT: PART INFO: ITEM NO:26; KIT CONSISTS OF: SS 316L CORE WITH G11 RETAINER GASKET WITH SS302 HELICAL WOUND SPRING ENERGIZED TEFLON SEAL, NOMEX SLEEVE G3 AND ZPS WAHER TYPE E; EQUIPMENT INFO: PRESSURE RATING: CL 300, NOMINAL PIPE SIZE: 1 IN, END CONNECTION: FLANGED FF; STANDARD: B16.5;						
LEGACY: TYPE E WITH PTFE SEALS WITH SS302 HELICAL WOUND SPRING SS316 L CORE MATERIAL, G-11 GRE LAMINATE RETAINER MATERIAL,WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER EPOXY AND STEEL MATERIAL 7D 1050 ST.						
<u>Item Specs</u>						
TYPE		---				

NO. DESCRIPTION		UNIT	QTY	UNIT PRICE	TOTAL
<u>Item Specs</u>					
NOMINAL FLANGE SIZE		---			
PRESSURE RATING		---			
CONNECTION TYPE		---			
COMPRISING		---			
<u>Part Number Profile</u>					
MFRCODE			48609		
COMPANYNAME			SAUDI BISAN GASKET FACTORY CO		
MANUFACTURER					
MFRTYPE			OCM		
PARTNUM			SBV-12		
MODELSTATUS			ACTIVE		
TAGNUM					
MODELNUM					
SERNUM					
POSNUM					
DRWNUM					
<u>Suggested Manufacturer</u> :					
<u>GL Account:</u> : 1-00000-0000-0000-0141-00-00000					
9	Item Number : 8548553219	PC	5.00		
	Stock Categ : STK				
	Storeroom : ST-2 ASAB/SAHIL				
<u>Item Description</u>					
GASKET KIT,INSLTG					
FFT: PART INFO: KIT CONSISTS OF: 1 PC ALLOY 825 CORE WITH G11 RETAINER GASKET W/ SS302 HELICAL WOUND SPRING ENERGIZED TEFLON SEAL, NOMEX SLEEVE; G3 AND ZPS WASHER TYPE E; EQUIPMENT INFO: PRESSURE RATING: CL 300, NOMINAL PIPE SIZE: 48 IN, END CONNECTION: FLANGED RF, STANDARD: ASME B16.47 CLASS A;					
LEGACY: WITH TANDEM PTFE SEALS WITH SS302 HELICAL WOUND SPRING, INCONEL 625 CORE MATERIAL, G-11 GRE LAMINATE RETAINER MATERIAL,WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER EPOXY AND STEEL MATERIAL 7D 1050 STEEL					
<u>Item Specs</u>					
TYPE		---			
NOMINAL FLANGE		---			

NO. DESCRIPTION		UNIT	QTY	UNIT PRICE	TOTAL
<u>Item Specs</u>					
PRESSURE RATING		---			
CONNECTION TYPE		---			
COMPRISING		---			
<u>Part Number Profile</u>					
MFRCODE		48609			
COMPANYNAME		SAUDI BISAN GASKET FACTORY CO			
MANUFACTURER					
MFRTYPE		OCM			
PARTNUM		SBV-12			
MODELSTATUS		ACTIVE			
TAGNUM					
MODELNUM					
SERNUM					
POSNUM					
DRWNUM					
<u>Suggested Manufacturer</u> :					
<u>GL Account:</u> : 1-00000-0000-0000-0141-00-00000					
10	Item Number : 8548553779	PC	20.00		
	Stock Categ : STK				
	Storeroom : ST-2				
<u>Item Description</u>					
GASKET KIT,INSLTG					
PART REFERENCE NO: SBV-12, MFR: SAUDI BISAN GASKET FACTORY CO;					
FFT: PART INFO: KIT CONSISTS OF: 1 PC-SS 316L CORE WITH G11 RETAINER GASKET WITH SS302 HELICAL WOUND SPRING ENERGIZED TEFLON SEAL; 1 PC-NOMEX SLEEVE G3 AND ZPS WAHER TYPE E; STANDARD: B16.5; EQUIPMENT INFO: PRESSURE RATING: CL 900, NOMINAL PIPE SIZE: 1-1/2 IN, END CONNECTION: FLANGED RF;					
LEGACY: TYPE F WITH PTFE SPRING ENERGISED SEALS,G-11 REINFORCED EPOXY, SS316L METAL CORE,WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER EPOXY AND STEEL MATERIAL ZP 1050 STEEL & G-3 GRE					
<u>Item Specs</u>					
TYPE		---			
NOMINAL FLANGE SIZE		---			

NO.	DESCRIPTION	UNIT	QTY	UNIT PRICE	TOTAL
	<u>Item Specs</u> PRESSURE RATING --- CONNECTION TYPE --- COMPRISING ---				
	Suggested Manufacturer : GL Account: : 1-00000-0000-0000-0141-00-00000				
11	Item Number : 8548553919 Stock Categ : STK Storeroom : ST-2 ASAB/SAHIL	PC	5.00		
	<u>Item Description</u> GASKET KIT,INSLTG PART REFERENCE NO: SBV-12, MFR: SAUDI BISAN GASKET FACTORY CO; FFT: PART INFO: KIT CONSISTS OF: 1 PC-INCONEL 625 CORE WITH G11, RETAINER GASKET WITH SS302; 1-PC HELICAL WOUND SPRING ENERGIZED TEFLON SEAL; 1 PC-NOMEX SLEEVE, G3 & ZPS WASHER TYPE F; STANDARD: B16.5; EQUIPMENT INFO: PRESSURE RATING: CL 2500, NOM PIPE SIZE:3 IN,END CONNECTION: FLANGED RF; LEGACY: TYPE F WITH PTFE SPRING ENERGISED SEALS,G-11 REINFORCED EPOXY, INCONEL 625, METAL CORE ,WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER EPOXY AND STEEL MATERIAL ZP 1050 STEEL & G-3 GRE				
	<u>Item Specs</u> TYPE --- NOMINAL FLANGE SIZE --- PRESSURE RATING --- CONNECTION TYPE --- COMPRISING ---				
	Suggested Manufacturer : GL Account: : 1-00000-0000-0000-0141-00-00000				
12	Item Number : 8548553369 Stock Categ : STK Storeroom : ST-2	PC	20.00		
	<u>Item Description</u> GASKET KIT,INSLTG FFT: PART INFO: ITEM NO:91; KIT CONSISTS OF: SS 316L CORE WITH G11 RETAINER GASKET WITH SS302 HELICAL				

NO. DESCRIPTION		UNIT	QTY	UNIT PRICE	TOTAL
WOUND SPRING ENERGIZED TEFLON SEAL, NOMEX SLEEVE G3 AND ZPS WAHER TYPE E; EQUIPMENT INFO: PRESSURE RATING: CL 300, NOMINAL PIPE SIZE: 3/4 IN, END CONNECTION: FLANGED FF, STANDARD: B16.5;					
LEGACY: TYPE E WITH PTFE SEALS WITH SS302 HELICAL WOUND SPRING SS316 L CORE MATERIAL, G-11 GRE LAMINATE RETAINER MATERIAL,WALL THICKNESS FOR NOMEX SLEEVE 1/32 , DOUBLE WASHER EPOXY AND STEEL MATERIAL 7D 1050					
Item Specs					
TYPE		---			
NOMINAL FLANGE SIZE		---			
PRESSURE RATING		---			
CONNECTION TYPE		---			
COMPRISING		---			
Part Number Profile					
MFRCODE		48609			
COMPANYNAME		SAUDI BISAN GASKET FACTORY CO			
MANUFACTURER					
MFRTYPE		OCM			
PARTNUM		SBV-12			
MODELSTATUS		ACTIVE			
TAGNUM					
MODELNUM					
SERNUM					
POSNUM					
DRWNUM					
Suggested Manufacturer :					
GL Account: :		1-00000-0000-0000-0141-00-00000			
13	Item Number : 8548553369	PC	40.00		
	Stock Categ : STK				
	Storeroom : PL				
	Item Description				
	GASKET KIT,INSLTG				