

REQUEST FOR QUOTATION

RFQ Number: 2078635

Line	Qty	UP	Item
1	3	LB	0000001897 GLAND,PACKING, NON-METALLIC, NON-ASBESTOS YARN,GRAPHITED, BRAIDED, WD 1/8 INCH, 8 M PACKING: STEAM, FOR VALVES, BRAIDED NON-METALLIC NON- ASBESTOS YARN, GRAPHITED, SUITABLE FOR STEAM,AIR,WATER OR HYDROCARBON UPTO 400 DEG.C. SQUARE SECTION SIZE 3 x 3 MM (1/8 INCH), 5/16 LBS Mfr / Ven: Model: Part: Product Group :

Attribute	Value
CONSTRUCTION	BRAIDED
LENGTH	8 M
MATERIAL	NON-ASBESTOS YARN,GRAPHITED
THICKNESS	WD 1/8 INCH
TYPE	NON-METALLIC

Line	Qty	UP	Item
2	3	KG	0000001898 GLAND,PACKING, NON-METALLIC, NON-ASBESTOS YARN,GRAPHITED, BRAIDED, 3/16 INCH PACKING: STEAM, FOR VALVES, BRAIDED NON-METALLIC NON- ASBESTOS YARN, GRAPHITED, SUITABLE FOR STEAM,AIR,WATER, HYDROCARBON UPTO 400 DEG.C. SQUARE SECTION SIZE 5 x 5 MM (3/16 INCH) Mfr / Ven: UNK Model: Part: Product Group :

Attribute	Value
CONSTRUCTION	BRAIDED
MATERIAL	NON-ASBESTOS YARN,GRAPHITED
THICKNESS	3/16 INCH
TYPE	NON-METALLIC

Line	Qty	UP	Item
3	14	KG	0000001901 GLAND,PACKING, NON-METALLIC, NON-ASBESTOS YARN,GRAPHITED, BRAIDED, 3/8 INCH, 8 M PACKING: STEAM, FOR VALVES, BRAIDED NON-METALLIC NON- ASBESTOS YARN, GRAPHITED, SUITABLE FOR STEAM,AIR,WATER OR HYDROCARBON UPTO 400 DEG.C. SQUARE SECTION SUPPLY IN KILOGRAM SIZE 9.5 x 9.5 MM (3/8 INCH)

Mfr / Ven: UNK
Model:
Part:
Product Group :

Attribute	Value
CONSTRUCTION	BRAIDED
LENGTH	8 M
MATERIAL	NON-ASBESTOS YARN,GRAPHITED
THICKNESS	3/8 INCH
TYPE	NON-METALLIC

Line	Qty	UP	Item
4	102	RL	0000000711 Sealant,Joint, STRIP CORD, PRESSURE PIPE FLANGE, WHITE, 20 MM, 25 M, THICKNESS: 7 MM SEALANT: JOINT, FOR PRESSURE PIPING FLANGES.EXPANDED VIRGIN PTFE STRIP CORD.IN ROLL LENGTH OF 25M APPROX. EACH ROLL TO BE MARKED WITH PRODUCT NAME,MANUFACTURER'S IDENTIFICATION,SIZE & LENGTH.MANUFACTURER'S CERTIFICATE OF COMPLIANCE REQUIRED. 20 MM WIDTH X 25 M LONG X 7 MM THICK ADDITIONAL PROPERTIES:- DOES NOT DETERIORATE WITH AGE UNAFFECTED BY HYDROCARBONS, SOLVENTS & ALL CHEMICALS EXCEPT FLOURINE,ALKALI METALS AND STRONG OXIDISING ACIDS. OPERAT.TEMP.MINUS 240 D.C TO PLUS 300 D.C. AUTO IGNITION >800 D.F.,S.G.0.2--0.3 G/CC. COMPRESSING TO 2.0G/CC, THERMAL COND.0.2 BTU/HR.FT A T 0 D.C. COEFFICIENT OF FRICT ION 0.2. TENS.STR.7500,ELASTC. 50000PSI NON-TOXIC TO FDA-21,PTFE-121. 1550,ASTM F104/F420001&DIN2501 REF. 9999/4559, A9999/1296 X-REF. 1817A, 9999/4559,9999/6348, 123545, A9999/1296, 5843A

Mfr / Ven: UNK

Model: UNK

Part: UNK

Product Group :

Attribute	Value
APPLICATION	PRESSURE PIPE FLANGE
COLOR	WHITE
LENGTH	25 M
MATERIAL	VIRGIN PTFE
SIZE	THICKNESS: 7 MM
TYPE	STRIP CORD
WIDTH	20 MM

Line	Qty	UP	Item
------	-----	----	------

5 6 CN 0000001930
PACKING, SQUARE/COIL, 5/8 INCH X LG: 12 FT, KILOGRAM
PACKING: OIL,
SUPPLY IN KILOGRAM
SQUARE SECTION
SIZE 16 x 16 MM (5/8 INCH), LENGTH 12 FEET

NOTE: PACKING MADE OF PTFE FIBRE YARN IS ACCEPTABLE
PACKING MADE OF GRAPHITE IS ALSO ACCEPTABLE

Mfr / Ven: UNK

Model:

Part:

Product Group :

Attribute	Value
PACKAGING_UNIT	KILOGRAM
SHAPE	SQUARE/COIL
SIZE	5/8 INCH X LG: 12 FT

Line	Qty	UP	Item
------	-----	----	------

6 2 CN 0000001921
PACKING, VALVE, PTFE IMPREGNATED NON ASBESTOS, 3/8 INCH
PACKING: VALVE, LUBRICATED
NON ASBESTOS IMPREGNATED WITH
P.T.F.E. DISPERSION, PLAITED CONSTRUCTION
SIZE 9.5 x 9.5 MM (3/8 INCH)

Mfr / Ven: UNK

Model: UNK

Part: UNK

Product Group :

Attribute	Value
APPLICATION	VALVE
MATERIAL	PTFE IMPREGNATED NON ASBESTOS
WIDTH	3/8 INCH

Line	Qty	UP	Item
------	-----	----	------

7 10 CN 0000001921
 PACKING, VALVE, PTFE IMPREGNATED NON ASBESTOS, 3/8 INCH
 PACKING: VALVE, LUBRICATED
 NON ASBESTOS IMPREGNATED WITH
 P.T.F.E. DISPERSION, PLAITED CONSTRUCTION
 SIZE 9.5 x 9.5 MM (3/8 INCH)

Mfr / Ven: UNK
Model: UNK
Part: UNK
Product Group :

Attribute	Value
APPLICATION	VALVE
MATERIAL	PTFE IMPREGNATED NON ASBESTOS
WIDTH	3/8 INCH

Line	Qty	UP	Item
------	-----	----	------

8 7 KG 0000001898
 GLAND,PACKING, NON-METALLIC, NON-ASBESTOS YARN,GRAPHITED,
 BRAIDED, 3/16 INCH
 PACKING: STEAM, FOR VALVES,
 BRAIDED NON-METALLIC NON-
 ASBESTOS YARN, GRAPHITED,
 SUITABLE FOR STEAM,AIR, WATER,
 HYDROCARBON UPTO 400 DEG.C.
 SQUARE SECTION
 SIZE 5 x 5 MM (3/16 INCH)

Mfr / Ven: UNK
Model:
Part:
Product Group :

Attribute	Value
CONSTRUCTION	BRAIDED
MATERIAL	NON-ASBESTOS YARN,GRAPHITED
THICKNESS	3/16 INCH
TYPE	NON-METALLIC